



Report No. HTT202502378CH

RoHS Test Report

Application information:

Applicant name:	Dongguan Huachuanguyuan Technology Co., Ltd.
Address:	floor 5, Building D, 217 Qingfeng Road, Tugiao Village, Qingxi Town, Dongguan City
Manufacturer:	Dongguan Huachuanguyuan Technology Co., Ltd.
Address:	floor 5, Building D, 217 Qingfeng Road, Tugiao Village, Qingxi Town, Dongguan City

Sample information:

Sample Name:	SWITCH POWER SUPPLY
Sample Model:	S-XX-YY, XX for power and YY for output voltage, XX can be 10 12 15 24 25 30 36 40 50 60 72 75 100 150180 200 250 300 360 400 480 500 600 720 800 1000, YY can be 5V 12V 24V 36V 48V
Trade mark:	HCJN
Sample Received Date:	Feb. 03, 2025
Testing Period:	Feb. 03, 2025 ~ Feb. 18, 2025
Test Requested:	As specified by client, to determine the Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, The Phthalate (DEHP, BBP, DBP & DIBP) content in the submitted sample compliance with RoHS directive 2011/65/EU Annex II amending Annex (EU)2015/863 and amending Annex (EU)2017/2102.
Test Method:	Please refer to next page.
Test Results	Please refer to next page(s).
Conclusion:	Based on the performed tests on submitted sample(s), the results Comply with the RoHS Directive 2011/65/EU, (EU) 2015/863 and amending Annex (EU)2017/2102.

Completed by:

Reviewed by:

Approved by:

Technical Manager

Shenzhen HTT Technology Co., Ltd.



RoHS Test Report

1. Test Method(s):

As requested by the client, Reference to IEC 62321-3-1:2013 (Ed1.0) Procedures for the screening analysis of Lead (Pb), Cadmium (Cd), Mercury (Hg), total Chromium (Cr), and Bromine (Br) by XRF. If the screening analysis results exceed the screening limits of IEC 62321-3-1:2013 (Ed1.0) Annex A, use the chemical methods for testing.

Table1 IEC 62321-3-1:2013 (Ed1.0) Annex A screening limits of XRF (mg/kg)

Element	Polymer	Metal	Composite Materials
Cd	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$LOD < X < (150+3\sigma) \leq OL$
Pb	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Hg	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Br	$BL \leq (300-3\sigma) < X$	Not applicable	$BL \leq (250-3\sigma) < X$
Cr	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X$	$BL \leq (500-3\sigma) < X$

BL = Less than screening limits of XRF

OL = More than screening limits of XRF

X = The results of screening analysis by XRF are within this range, requiring further chemical testing.

LOD = Limit of Detection

Table2 testing methods & Equipments

Testing Item	Testing Method	Equipment
Screening analysis by XRF		
Lead (Pb), Cadmium (Cd), Mercury (Hg) Chromium (Cr), Bromine (Br)	IEC 62321-3-1:2013 (Ed1.0)	ED-XRF
Chemical testing		
Lead (Pb)	IEC 62321-5:2013 (Ed1.0)	ICP-OES
Cadmium (Cd)	IEC 62321-5:2013 (Ed1.0)	ICP-OES
Mercury(Hg)	IEC 62321-4:2017 (Ed1.0)	ICP-OES
Hexavalent chromium (Cr(VI)) for plastic	IEC 62321-7-2:2017 (Ed1.0)	UV-VIS
Hexavalent chromium (Cr(VI)) for coating on metals	IEC 62321-7-1:2015 (Ed1.0)	UV-VIS
PBBs	IEC 62321-6:2015 (Ed1.0)	GC-MS
PBDEs	IEC 62321-6:2015 (Ed1.0)	GC-MS
DBP	IEC 62321-8:2017 (Ed1.0)	GC-MS
BBP	IEC 62321-8:2017 (Ed1.0)	GC-MS
DEHP	IEC 62321-8:2017 (Ed1.0)	GC-MS
DIBP	IEC 62321-8:2017 (Ed1.0)	GC-MS



Report No. HTT202502378CH

RoHS Test Report

2. Method Detection Limit (MDL):

For XRF screening analysis (mg/kg)

Item	Pb	Cd	Hg	Br	Cr
Polymer	20	20	20	20	20
Other materials	50	50	50	50	50

For chemical testing (mg/kg)

Item	Pb	Cd	Hg	PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Cr(VI)
General materials	2	2	2	10	10	50	50	50	50	See remark (2)

Remark:

(1) PBBs and PBDEs method detection limit only for one substance;

(2) MDL for polymer and Composites is 8 mg/kg, MDL for coating on metals is 0.10 µg/cm².

3. RoHS Requirement (mg/kg):

Restricted substances	Cd	Pb	Hg	Cr(VI)	PBBs	PBDEs	DEHP	BBP	DBP	DIBP
RoHS limit	100	1000	1000	1000	1000	1000	1000	1000	1000	1000



Report No. HTT202502378CH

RoHS Test Report

4. Test Result(s):

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
01	Metal cover	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
02	Metal bottom plate	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
03	Screw	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
04	Terminal block cover	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P



Report No. HTT202502378CH

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
05	Terminal block	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
06	Heat sink	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
07	Transformer	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
08	Magnetic ring coil	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P



Report No. HTT202502378CH

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
09	X capacitor	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
10	Y capacitor	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
11	Sliding switch	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
12	CBB capacitor	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P



Report No. HTT202502378CH

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
13	Electrolytic capacitor	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
14	Fuse	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
15	Power regulator	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
16	Diode	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P



Report No. HTT202502378CH

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
17	Triode	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
18	Resistance	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
19	IC	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
20	Adjustable resistor	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P



Report No. HTT202502378CH

RoHS Test Report

Part No.	Part Description	Restricted Substances	Results (mg/kg)		Conclusion (P/F)
			EDXRF	Chemical testing	
21	Green capacitor	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
22	LED	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
23	PCB	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P
24	Soldering	Cd	BL	/	P
		Pb	BL	/	P
		Hg	BL	/	P
		Cr(VI)	BL	/	P
		PBBs	BL	/	P
		PBDEs	BL	/	P
		DEHP	/	N.D.	P
		DBP	/	N.D.	P
		BBP	/	N.D.	P
		DIBP	/	N.D.	P



Report No. HTT202502378CH

RoHS Test Report

Note:

mg/kg = milligram per kilogram = ppm

N.D. = Not detected (<MDL)

BL=Less than screening limits of XRF

D = DETECTED = Inconclusive

P = PASS

F = FAIL



/ = Not available



Report No. HTT202502378CH

RoHS Test Report


Photo(s) of the sample(s)





Report No. HTT202502378CH

RoHS Test Report



This test document cannot be reproduced in any way, except in full context, without the prior approval in writing of the laboratory. The result of this test report is based on our received samples only.

*** End of report ***